


Technical Data:						
	Container Volume [L]	Container Ø [mm]	Power consumption [kVA]	Voltage [V/Hz]	Measurements W x D x H [mm]	Weight [kg]
TV 30	30	545x240x300	0,30	230/50	785x820x1220	220
TV 60	60	760x285x360	0,75	230/50	1000x780x1260	270
W 10	10	310	0,20	230/50	400x500x460	29
W 15	15	360	0,55	230/50	490x660x900	115
W 50	50	580	0,60	230/50	640x825x1155	165
W 100	100	770	0,80	230/50	870x920x1260	260



Deburring - Rounding - Grinding - Smoothing - Polishing



**T**rough vibrators  
for smooth deburring or gentle polishing

Trough Vibrators TV



- › Universal, even for large workpieces
- › A rugged welded steel construction with low-wear polyurethane lining
- › Time control with 10 programmes and digital display
- › Speed control via frequency converter
- › Finely adjustable dosing pump with compound level monitoring
- › Control and dosing pump on a separate frame
- › Easy to use
- › Quick and gentle handling
- › Long service life of the machine
- › Good price/performance ratio

Options:

- › Manual separation with interchangeable sieves at an ergonomic working height integrated into the table or available as additional module
- › Prepared for automatic separation TVsepa and TVsepa Mini
- › Process water tank available as three-stage cascade for circuit



The working container can be divided up into 4 different chambers with optionally available partitions. Several workpieces can be finished separately without touching. Damage to sensitive workpieces is reliably avoided.



Trough Vibrators W

