



Farécla | SURFACE FINISHING
SPECIALISTS

PROFILE

PRODUCT CATALOGUE



INDUSTRIAL SURFACE FINISHING





From plug and mould preparation to OEM production and ongoing maintenance, the marine sector requires polishing systems that perform across a wide range of surfaces and applications. Farécla's marine polishing solutions are trusted by boatbuilders, manufacturers, and service teams to deliver consistent, high-gloss finishes on gelcoat and painted substrates. Whether refining moulds for efficient part release or restoring finish quality during vessel upkeep, our products are engineered to provide fast, controlled results with consistent polishing performance.

**“Engineered
for demanding
surfaces”**



NUMBERING SYSTEM

The Profile range is a carefully crafted selection of compounds, polishes and waxes which are used to permanently improve the condition of a number of hard to soft coatings and surfaces used in a variety of markets.

The numbers seen on the products are an indication of the coarseness of the abrasive compounds and polishes in the Profile range. The lower the number the coarser the product.



100 EXTRA HEAVY CUT PASTE COMPOUND.

100

COARSE							FINE	
100	200	300	400	500	600	700		

Aggressive compounding paste for tough resins and gelcoats. Leaves a low gloss finish. Ideal for plugs and moulds.

100 g	PRE124 (780727 60431)
3 kg / 105.8 oz.	PRE306 (780727 63866)



200 SELECT COARSE CUT LIQUID COMPOUND.

200

COARSE							FINE	
100	200	300	400	500	600	700		

Eliminates sanding marks and heavy defects from production and tooling gelcoat surfaces. Can be a one-step product on white gelcoats.

100 ml	PRS124 (780727 60450)
1 L / 34 fl. oz.	PRS101 (780727 00168)
1 US gallon	PRS106 (780727 00169)
5 US gallons	PRS506 (780727 29473)



350 PREMIUM LIQUID GRP FAST MEDIUM CUT LIQUID COMPOUND.

350

COARSE								FINE	
100	200	300	400	500	600	700			

Rapidly eliminates P1500 sanding marks.
Restores oxidised GRP surfaces.
Can also be used on painted surfaces.

500 ml / 16.9 fl. oz.	PRL501 (662544 34319)
1 L / 34 fl. oz.	PRL112 (780727 63911)
1 US gallon	PRL118 (780727 64005)



400 ADVANCED PLUS FAST MEDIUM CUT LIQUID COMPOUND.

400

COARSE								FINE	
100	200	300	400	500	600	700			

Rapidly eliminates P1500 sanding marks
and defects from paint, lacquer, acrylic,
plexiglass and gelcoat surfaces, leaving
a high gloss.

100 ml	PRA124 (780727 60430)
1 L / 34 fl. oz.	PRA101 (780727 15147)
1 US gallon	PRA118 (780727 15148)
5 US gallons	PRA518 (780727 29474)



700 FINISH LIGHT CUT POLISH AND SWIRL REMOVER.

700

COARSE								FINE	
100	200	300	400	500	600	700			

Eliminates minor defects and swirls from
paint, lacquer and gelcoat surfaces,
leaving a mirror shine finish.

100 ml	PRF124 (780727 60447)
1 L / 34 fl. oz.	PRF112 (780727 63898)

FOR SOFTER SURFACES (e.g. paint and lacquer)

FOR HARDER SURFACES (e.g. vinylester, epoxy and polyester resins)



ELIMINATES HEAVY DEFECTS (e.g. sanding marks)

ELIMINATES MEDIUM DEFECTS
(e.g. process marks, large swirl marks,
weathering and oxidation)


**ELIMINATES
LIGHT DEFECTS
ON DARK
COLOURS**


**ELIMINATES LIGHT DEFECTS
ON LIGHT COLOURS**
(e.g. visible swirls and holograms)



PROFILE RANGE EXPLAINED VIDEO


FOR MORE
ABOUT THE
PROFILE RANGE
AND POLISHING
SOLUTIONS VISIT
WWW.FARECLA.COM





PROFILE 100 EXTRA HEAVY CUT PASTE COMPOUND.

Aggressive compounding paste for tough resins and gelcoats. Leaves a low gloss finish.
Ideal for plugs and moulds.



If needed, before polishing, sand up to:
P600 or finer (Polyester resin or gelcoat)
P600 or finer (Vinylester resin or gelcoat)
P600 or finer (Epoxy resin or gelcoat)

100 g	PRE124 (780727 60431)	24 tubes
3 kg / 105.8 oz	PRE306 (780727 63866)	4 pots



1500 - 1800rpm

G Mop Twisted Wool Pad

200 mm / 8" single sided

GMW811 (780727**00175**)

200 mm / 8" double sided

GMW816 (780727**00174**)

CUT	100
GLOSS	20

When used with Profile 100 Extra



For a better gloss on tough resins and gelcoats follow with:

Profile 200 Select

100 ml **PRS124** (780727**60450**)

1 L **PRS101** (780727**00168**)

1 US gallon **PRS106** (780727**00169**)

5 US gallons **PRS506** (780727**29473**)



For an even finer finish, to remove swirls, holograms and further improve gloss levels follow Profile 200 Select with:

Profile 700 Finish

100 ml **PRF124** (780727**60447**)


1 L **PRF112** (780727**63898**)



PROFILE 200 SELECT COARSE CUT LIQUID COMPOUND.

Eliminates sanding marks and heavy defects from production and tooling gelcoat surfaces.
Can be a one-step product on white gelcoats.

USE MINIMAL PRESSURE, LET THE MACHINE DO THE WORK



If needed, before polishing, sand up to:
P800 or finer (Polyester resin or gelcoat)
P1000 or finer (Vinylester resin or gelcoat)
P1200 or finer (Epoxy resin or gelcoat)

100 ml
1 L / 34 fl. oz.
1 US gallon
5 US gallons

PRS124 (780727**60450**)
PRS101 (780727**00168**)
PRS106 (780727**00169**)
PRS506 (780727**29473**)

24 tubes
6 bottles
2 bottles
1 bottle



G Mop Twisted Wool Pad

200 mm / 8" single sided

GMW811 (780727**00175**)


200 mm / 8" double sided

GMW816 (780727**00174**)

2000 - 3500rpm

CUT	90
GLOSS	60

When used with Profile 200 Select



G Mop Lambs Wool Pad

75 mm / 3" **GML301** (780727**00157**)

150 mm / 6" **GML601** (780727**00158**)

200 mm / 8" **GML801** (780727**00176**)

2000 - 3000rpm

CUT	80
GLOSS	65

When used with Profile 200 Select



For a finer finish, to remove swirls, holograms and improve gloss levels:

Profile 700 Finish

100 ml **PRF124** (780727**60447**)

1 L **PRF112** (780727**63898**)



PROFILE

350 PREMIUM LIQUID


GRP FAST MEDIUM CUT

LIQUID COMPOUND.



Rapidly eliminates P1500 sanding marks. Restores oxidised GRP surfaces. Can also be used on painted surfaces.

IDEAL FOR GELCOAT BOAT HULLS AND FIBREGLASS MOTORHOME SURFACES



If needed, before polishing, sand up to:

P1500 or finer (Paint or lacquer)

P2000 or finer (Aerospace paint or lacquer)

P1200 or finer (Polyester resin or gelcoat)

P1500 or finer (Vinylester resin or gelcoat)

P1500 or finer (Epoxy resin or gelcoat)

500 ml / 16.9 fl. oz.

1 L / 34 fl. oz.

1 US gallon

PRL501 (662544**34319**)

PRL112 (780727**63911**)

PRL118 (780727**64005**)

12 bottles

6 bottles

2 bottles



1500 - 1800rpm

G Mop Twisted Wool Pad

200 mm / 8" single sided

GMW811 (780727**00175**)

200 mm / 8" double sided

GMW816 (780727**00174**)

▲ CUT	80
☀ GLOSS	65

When used with Profile 350 Premium Liquid



1500 - 1800rpm

G Mop Lambs Wool Pad

75 mm / 3" **GML301** (780727**00157**)

150 mm / 6" **GML601** (780727**00158**)

200 mm / 8" **GML801** (780727**00176**)

▲ CUT	65
☀ GLOSS	70

When used with Profile 350 Premium Liquid



800 - 1100rpm

G Mop Yellow Compounding Foam

75 mm / 3" **GMC312** (780727**00149**)

150 mm / 6" **GMC622** (780727**69182**)

200 mm / 8" **GMC822** (780727**69186**)

▲ CUT	60
☀ GLOSS	75


When used with Profile 350 Premium Liquid



PROFILE 400 ADVANCED PLUS FAST MEDIUM CUT LIQUID COMPOUND.

Rapidly eliminates P1500 sanding marks and defects from paint, lacquer, acrylic, plexiglass and gelcoat surfaces, leaving a high gloss.

IDEAL FOR PAINTED BOAT HULLS AND LACQUERED WOOD SURFACES



If needed, before polishing, sand up to:
P1500 or finer (Paint or lacquer)
P2000 or finer (Aerospace paint or lacquer)
P1200 or finer (Polyester resin or gelcoat)
P1500 or finer (Vinylester resin or gelcoat)
P1500 or finer (Epoxy resin or gelcoat)

100 ml
 1 L / 34 fl. oz.
 1 US gallon
 5 US gallons

PRA124 (780727**60430**)
PRA101 (780727**15147**)
PRA118 (780727**15148**)
PRA518 (780727**29474**)

24 tubes
 6 bottles
 2 bottles
 1 bottle



1500 - 1800rpm

G Mop Twisted Wool Pad

200 mm / 8" single sided

GMW811 (780727**00175**)

200 mm / 8" double sided

GMW816 (780727**00174**)

▲ CUT	85
☀ GLOSS	70

When used with Profile 400 Advanced Plus



1500 - 1800rpm

G Mop Lambs Wool Pad

75 mm / 3" **GML301** (780727**00157**)

150 mm / 6" **GML601** (780727**00158**)

200 mm / 8" **GML801** (780727**00176**)

▲ CUT	70
☀ GLOSS	75

When used with Profile 400 Advanced Plus



800 - 1100rpm

G Mop Yellow Compounding Foam

75 mm / 3" **GMC312** (780727**00149**)

150 mm / 6" **GMC622** (780727**69182**)

200 mm / 8" **GMC822** (780727**69186**)

▲ CUT	65
☀ GLOSS	80


When used with Profile 400 Advanced Plus



PROFILE 700 FINISH LIGHT CUT POLISH AND SWIRL REMOVER.



Eliminates minor defects and swirls from paint, lacquer and gelcoat surfaces, leaving a mirror shine finish. Very easy to wipe off.



For swirl removal and a high gloss finish, use on its own or in a 2-step process after:

Profile 200 Select (Polyester, Vinylester and Epoxy resin or gelcoat)

Profile 350 Premium Liquid (Gelcoat / GRP, fibreglass, paint and lacquer)

Profile 400 Advanced Plus (Paint, lacquer and resin or gelcoat)

100 ml
1 L / 34 fl. oz.

PRF124 (780727**60447**)
PRF112 (780727**63898**)

24 tubes
6 bottles




G Mop Black Finishing Foam

75 mm / 3" **GMF301** (780727**00154**)
150 mm / 6" **GMF622** (780727**69185**)
200 mm / 8" **GMF822** (780727**69187**)



When used with Profile 700 Finish



G Mop Lambs Wool Pad

75 mm / 3" **GML301** (780727**00157**)
150 mm / 6" **GML601** (780727**00158**)
200 mm / 8" **GML801** (780727**00176**)



When used with Profile 700 Finish



For a super high gloss finish and added protection with UV inhibitors:

Profile UV Wax

PRU101 (780727**00170**)

Profile Polymer UV Wax


PRW101 (780727**00171**)



PROFILE POLYMER UV WAX MACHINE APPLICATION.

Easily applied wax containing UV inhibitors.
Provides up to 3 months protection and gloss
on paint, lacquer and gelcoat surfaces.

Can also be applied by hand using a microfibre cloth.



For a super high gloss finish and
ultimate protection, use after
any Profile compound or polish.

1 L / 34 fl. oz.	PRW101 (780727 00171)	6 bottles
------------------	--------------------------------------	-----------



G Mop Black Finishing Foam

75 mm / 3" **GMF301** (780727**00154**)

150 mm / 6" **GMF622** (780727**69185**)

200 mm / 8" **GMF822** (780727**69187**)



When used with Profile Polymer UV Wax



For a finer finish, to remove swirls,
holograms and improve gloss levels
before waxing:

Profile 700 Finish

100 ml **PRF124** (780727**60447**)

1 L **PRF112** (780727**63898**)



Keep the gelcoat, paint, lacquer,
glass, acrylic, rubber, plastic and
metal clean whilst topping-up the
shine and protection:


Farécla Clean and Protect

1 L / 34 fl. oz. **CAP101** (780727**66935**)



PROFILE UV WAX HAND APPLICATION.

Thick wax containing UV inhibitors.
Provides up to 3 months protection and gloss
on paint, lacquer and gelcoat surfaces.



For a super high gloss finish and
ultimate protection, use after
any Profile compound or polish.

1 L / 34 fl. oz.	PRU101 (780727 00170)	6 bottles
------------------	--------------------------------------	-----------



G Plus Finishing Cloth

3 cloths **FC-3** (780727**00136**)

100 cloths **FC-100** (780727**09136**)

PROTECT							
GLOSS							100

When used with Profile UV Wax



For a finer finish, to remove swirls,
holograms and improve gloss levels
before waxing:

Profile 700 Finish

100 ml **PRF124** (780727**60447**)

1 L **PRF112** (780727**63898**)



Keep the gelcoat, paint, lacquer,
glass, acrylic, rubber, plastic and
metal clean whilst topping-up the
shine and protection:

Farécla Clean and Protect

1 L / 34 fl. oz. **CAP101** (780727**66935**)

Farécla

CLEAN AND PROTECT



CLEAN



PROTECT

A powerful, friction-free cleaner that provides a high gloss finish and long lasting protection on all paints, gelcoats, glass and trims.

POWERFUL CLEANER - Rapidly removes compound and masking tape residues, fingerprints, and dust - but also harsher contaminants such as birdlime - from paint, glass, rubber and plastics.

GLOSS ENHANCER - Creates a friction-free layer enhancing clarity and depth of gloss.

PROTECTIVE BARRIER - Adds a silicone-free layer of protection to the surface which provides long lasting water beading and easy-clean properties.



1 L / 34 fl. oz.

CAP101 (780727**66935**)

6 bottles



G-MOP

SUPER HIGH CUT PAD

HIGH TO SUPER HIGH CUT

- Extremely rapid cut from P1500
- Hybrid of foam and engineered fibres keep panels cool and reduces drag improving ease of use
- Superb handling and flexibility, glides over contours
- Excellent durability
- Use with a G Mop Flexible Back Plate

150 mm / 6"

GMC650 (780727**00153**)

1 pack x 12



G-MOP

ANGLED YELLOW COMPOUNDING FOAM

FINE TO HIGH CUT

- Excellent cut and gloss
- Offers great visibility and control
- Reaches difficult areas such as close to panel edges and trims, and around handles
- Superb handling and flexibility, glides easily over surface contours
- Use with a G Mop Flexible Back Plate

150 mm / 6"

GMC622 (780727**69182**)

2 pack x 12



G·MOP

ANGLED BLACK FINISHING FOAM

ULTRA FINE TO FINE CUT

- Soft, open cell structure
- Light cut, high gloss finish
- Use with a G Mop Flexible Back Plate

150 mm / 6"	GMF622 (780727 69185)	2 pack x 12
-------------	--------------------------------------	-------------



G·PLUS

MICROFIBRE FINISHING CLOTHS

- Low-lint, 400mm x 400mm, 300 gsm microfiber cloth
- Edgeless to avoid scratching
- Can be machine washed up to 100 times
- Very high absorbency

Blue	FC-100BLU (662544 27077)	100 cloths
Grey	FC-100GRY (662544 27078)	100 cloths
Yellow	FC-3 (780727 00136)	3 cloths
Yellow	FC-100 (780727 09136)	100 cloths



G·MOP TWISTED WOOL COMPOUNDING PADS.

SUPER HIGH CUT

- 100% pure, 4 ply, twisted wool
- Twisted wool gives a high cut
- Single sided - use with a G Mop Flexible Back Plate
- Double sided - use with a G Mop Bolt Adaptor




G·MOP LAMBS WOOL PADS.

FINE TO HIGH CUT

- For dry use compounds
- Good cut, finer finish than Twisted Wool Pads leaving fewer swirl marks
- Use with a G Mop Flexible Back Plate

G Mop Twisted Wool Compounding Pad (200 mm / 8" - single sided)
G Mop Twisted Wool Compounding Pad (200 mm / 8" - double sided)
G Mop Lambs Wool Pads (75 mm / 3")
G Mop Lambs Wool Pads (150 mm / 6")
G Mop Lambs Wool Pad (200 mm / 8")

GMW811 (780727 00175)	1 pack x 12
GMW816 (780727 00174)	1 pack x 12
GML301 (780727 00157)	5 pack x 6
GML601 (780727 00158)	1 pack x 12
GML801 (780727 00176)	1 pack x 12



G·MOP YELLOW COMPOUNDING FOAMS.

FINE TO HIGH CUT

- Excellent cut and gloss
- Superb flexibility, glides easily over surface contours
- Use with a G Mop Flexible Back Plate



G·MOP BLACK FINISHING FOAMS.

FINE TO ULTRA FINE CUT

- Soft foam gives a light cut, high gloss finish
- Superb flexibility, glides easily over surface contours
- Use with a G Mop Flexible Back Plate

G Mop Yellow Compounding Foam (75 mm / 3")
G Mop Angled Yellow Compounding Foam (150 mm / 6")
G Mop Yellow Waffle Compounding Foam (200 mm / 8")
G Mop Black Finishing Foam (75 mm / 3")
G Mop Angled Black Finishing Foam (150 mm / 6")
G Mop Black Waffle Finishing Foam (200 mm / 8")

GMC312 (780727**00149**)
GMC622 (780727**69182**)
GMC822 (780727**69186**)
GMF301 (780727**00154**)
GMF622 (780727**69185**)
GMF822 (780727**69187**)

5 pack x 6
 2 pack x 12
 1 pack x 12
 5 pack x 6
 2 pack x 12
 1 pack x 12



G·MOP

LAMBS WOOL PAD

- For dry use compounds
- Good cut, finer finish than Twisted Wool

GML301 (780727**00157**)



G·MOP

PREMIUM ANGLED COMPOUNDING FOAM

- Excellent Properties for Cut & Gloss
- Highly Durable
- Open Cell Structure

GMC322 (780727**69178**)



G·MOP

YELLOW COMPOUNDING FOAM

- Excellent cut and gloss
- Can be used wet or dry

GMC312 (780727**00149**)



G·MOP

BLACK FINISHING FOAM

- Soft, open cell structure
- Light cut, high gloss finish

GMF301 (780727**00154**)

GMF322 (780727**69179**) - angled



G·MOP BOLT ADAPTORS

- Use to attach double sided pads to the G Plus Electric Rotary Polishing machine
- Screw fit design



G·MOP FLEXIBLE BACK PLATES

- Use to attach single sided / 'hook & loop' pads to the G Plus Electric Rotary Polishing machine
- Flexible for difficult areas
- Optimises the performance of the G Mop Lambs Wool Pads and flexible foams

G Mop Bolt Adaptor (14 mm thread)	GMA014 (780727 00181)	1 adaptor
G Mop Bolt Adaptor (5/8" thread)	GMA058 (780727 09110)	1 adaptor
G Mop Bolt Adaptor (16 mm thread)	GMA016 (780727 45655)	1 adaptor
G Mop Flexible Back Plate for 150 mm / 6" Pads (14 mm thread)	GMB146 (780727 00148)	1 plate
G Mop Flexible Back Plate for 150 mm / 6" Pads (5/8" thread)	GMB586 (780727 15924)	1 plate
G Mop Flexible Back Plate for 150 mm / 6" Pads (16 mm thread)	GMB166 (780727 15925)	1 plate
G Mop Flexible Back Plate for 200 mm / 8" Pads (14 mm thread)	GMB814 (780727 09129)	1 plate
G Mop Flexible Back Plate for 200 mm / 8" Pads (5/8" thread)	GMB858 (780727 08721)	1 plate
G Mop Flexible Back Plate for 200 mm / 8" Pads (16 mm thread)	GMB816 (780727 24089)	1 plate



G·PLUS

ELECTRIC ROTARY POLISHING MACHINE

- Lightweight yet powerful
- Very wide speed range
- Low vibration: 1.7 m/s²
- Long power cord
- M14 spindle
- Use with any 150 mm / 6" and 200 mm / 8" G Mop applicators



G Mop Flexible Back Plate
for 6" / 150 mm pads
(14 mm thread)
GMB146 (780727**00148**)




LIGHTWEIGHT
(2.2kg)



**POWERFUL /
HIGH TORQUE**



SPEED RANGE
700 - 2500rpm



ROTARY



220 - 240V~
(50/60Hz)



5M POWER CORD
(UK or EU PLUG)

G Plus ER Polishing Machine (UK - 5 m, plug type G)

G Plus ER Polishing Machine (EU - 5 m, plug type F)

G Plus Replacement Cable (UK - 5 m, plug type G)

G Plus Replacement Cable (EU - 5 m, plug type F)

G Plus Spare Carbon Brushes (for UK and EU machines)

GPT003

GPT002 (780727**00159**)

GPT112

GPT106 (780727**09182**)

GPT101 (780727**09178**)

1 machine

1 machine

1 cable

1 cable

2 pack x 1




G·PLUS

ELECTRIC DUAL ACTION POLISHING MACHINE

- Lightweight to reduce muscle fatigue
- Soft start motor to reduce product splash
- Speed stabilisation - constant speed output
- Ergonomic design
- Multi-hole, 123 mm back plate promotes air flow to help maintain a low polishing temperature
- CNC-machined counterweight minimises vibration



15

15 mm
THROWLIGHTWEIGHT
(2.6kg)LOW
VIBRATIONSSPEED RANGE
2000 - 4500opmORBITAL /
DUAL ACTION220 - 240V~
(50/60Hz)5M POWER CORD
(UK or EU PLUG)

G Plus DA Polishing Machine (UK - 5 m, plug type G)
G Plus DA Polishing Machine (EU - 5 m, plug type F)
G Plus Replacement Cable (UK - 5 m, plug type G)
G Plus Replacement Cable (EU - 5 m, plug type F)
G Plus Spare Back Plate (for UK and EU machines)

GPT203
GPT202 (780727**29810**)
GPT184 (662611**70623**)
GPT178 (662611**70622**)
GPT172 (662611**70620**)

1 machine
 1 machine
 1 cable
 1 cable
 1 back plate



G·PLUS

CORDLESS ROTARY POLISHING MACHINE

- Lightweight yet powerful
- Very wide speed range
- Low vibration: main handle 2.37 m/s², auxiliary handle 2.521 m/s²
- M14 spindle
- Use with any 150 mm / 6" G Mop applicators



G Mop Flexible Back Plate
for 6" / 150 mm pads
(14 mm thread)
GMB146 (780727**00148**)



LIGHTWEIGHT
(1.8kg)



POWERFUL
18V PLATFORM



SPEED RANGE
700 - 1800 rpm



ROTARY



LOW
VIBRATIONS



WELL
BALANCED

G Plus Cordless Rotary Polishing Machine (tool only)
G Plus Rechargeable Li-ion Battery
G Plus 18V Twin Bay Battery Charger

GPT050 (780727**73698**)
GPT150 (780727**73702**)
GPT151 (780727**73704**)

1 machine
1 battery
1 charger




G-PLUS DUAL ACTION POLISHING MACHINE

- Lightweight to reduce muscle fatigue - Only 2.7 kg including battery
- Ergonomic design
- Multi-hole, 123 mm back plate promotes air flow to help maintain a low polishing temperature
- CNC-machined counterweight minimises vibration and muscle fatigue



15

15 mm
THROWLIGHTWEIGHT
(1.98kg)POWERFUL
18V PLATFORMSPEED RANGE
2000 - 5000 opmORBITAL /
DUAL ACTIONLOW
VIBRATIONSWELL
BALANCED

G Plus Cordless Rotary Polishing Machine (tool only)
G Plus Rechargeable Li-ion Battery
G Plus 18V Twin Bay Battery Charger

GPT250 (780727**73707**)
GPT150 (780727**73702**)
GPT151 (780727**73704**)

1 machine
 1 battery
 1 charger



G·PLUS DENIBBER TOOL

First step in a complete spot rectification process, the G Plus Denibber Tool removes surface defects such as dust nibs and minor inclusions quickly and cleanly, minimising the overall area to be polished.

- 3 mm Oscillating Orbit
- Variable Speed (4000 - 10000 opm)
- 31 mm PSA and Hook & Loop backing plates
- Lightweight (0.45 kg bare machine)
- 10 Abrasive Discs (2500-3000 grit)

Kit includes: G Plus Denibber Tool (**GPT320**), Mini Tool Battery (**GPT125**), Mini Tool Battery Charger (**GPT126**).

GPT320 (662544**27055**) - tool only

4 tools

GPT325 (662544**27054**) - kit

1 kit



G·PLUS ROTARY MINI POLISHER

Developed for precise, small-area correction work, such as spot rectification, with high torque performance and enhanced control.

- Variable speed (700 - 2500 rpm)
- Ø74 mm (3") Hook & Loop backing plate
- Lightweight (0.72 kg bare machine)
- G Mop Premium Angled Compounding Foam

Kit includes: G Plus Rotary Mini Tool (**GPT020**), Mini Tool Battery (**GPT125**), Mini Tool Battery Charger (**GPT126**) and G360 Compound 100 g (**SFC106**).

GPT020 (662544**27052**) - tool only

4 tools

GPT025 (662544**27039**) - kit

1 kit



G·PLUS

DUAL ACTION MINI POLISHER

Developed to optimise spot rectification and fine detailing work. Compact and cordless, this 12 mm throw polisher delivers swirl-free, professional results in areas larger machines can't reach.

- Variable speed (4000-7000 opm)
- Ø74 mm (3") Hook & Loop backing plate
- Lightweight (0.78 kg bare machine)
- G Mop Premium Angled Compounding Foam

Kit includes: G Plus Dual Action Mini Tool (**GPT220**), Mini Tool Battery (**GPT125**), Mini Tool Battery Charger (**GPT126**) and G360 Compound 100 g (**SFC106**).

GPT220 (662544**27053**) - tool only

4 tools

GPT225 (662544**27040**) - kit

1 kit



G·PLUS

MINI TOOL BATTERY AND CHARGER

- Use to power all 3 mini tools (**GPT020**, **GPT220** and **GPT320**)
- Lithium-ion battery charges in under an hour
- Charger comes supplied with an EU Plug Type C cable with a pre-fitted UK Plug Type G adapter

GPT125 (662544**27041**) - 2.5Ah battery

20 batteries

GPT126 (662544**27042**) - charger

8 chargers



G Plus Spray Bottle

- Gives an even dispersal
- Ensures a supply of clean water to minimise contamination
- Can be used with all sprayable liquids



G Wipe Degreasing Wipes

- Ideal for cleaning before painting
- Non-snagging and low linting
- Ideal for use with waterborne degreasers
- Highly absorbent - holds up to 9 x its weight in water / solvents



G Wipe Polishing Wipes

- Ideal for removing glaze and polish
- Highly absorbent
- Solvent resistant
- Does not scratch surfaces

G Plus Spray Bottle (600 ml)
G Wipe Degreasing Wipes
G Wipe Polishing Wipes

WSB (780727**00142**)
1050200 (780727**10927**)
1050100 (780727**10926**)

25 bottles
 1 box of 100 wipes
 1 box of 100 wipes


G Plus Spurring Brush

- For quick and easy cleaning of pads when spun on a polishing machine
- Avoids residue, dried compound and other contaminants impairing your next job
- Unclogs foam cells to ensure no drop in cut or gloss



G Plus Autopen

- Ideal for job identification
- Non staining pen for bodywork and glass
- Does not wash off in the rain, but does wipe off with a damp cloth



G Plus Spurring Brush

G Plus Autopen (5 mm nib, yellow pen)

GPS001 (780727**73569**)

AP-5YW (780727**09135**)

12 brushes
1 box of 24 pens



7.5" /
190 mm


Farécla | TOOLS &
EQUIPMENT

G-PLUS CHECK LIGHT

A powerful, rechargeable inspection light (+95 Colour Rendering Index - CRI) with two brightness options, up to 3-4 hours run time, strong magnets on the rear of the body and the foldable base, a fold-out shivel hook and a battery life indicator.

BOX CONTAINS:


- Rechargeable Check Light
- Wall mountable, magnetic charging station
- USB-C charging cable




**HIGH
BRIGHTNESS:
500 LUMENS**



**LOW
BRIGHTNESS:
250 LUMENS**



BATTERY LIFE INDICATOR



**MAGNETIC
BASE**

**180° FOLDING
BASE**

1 pack **GPL006** (662544**23800**)

Farécla | TOOLS & EQUIPMENT

G·PLUS PEN LIGHT

A high powered (90 m beam), bright (350 lumens), rechargeable pen light with a durable anodised aluminium body. Water and dust-resistant with a 2 m impact resistance.


BOX CONTAINS:

- G Plus Pen Light
- USB-C charging cable

1 pack **GPL001** (662544**23799**)



90 M BEAM (HIGH)



HIGH: 1.5 HOURS



LOW: 3.5 HOURS



ECO: 20 HOURS



Farécla A SAINT-GOBAIN BRAND

Saint-Gobain Coating Solutions, 50,
rue du Mourelet, BP90966, Avignon,
84000, France. Tel: +33 4 90 85 85 00
Saint-Gobain Abrasives, Inc. Worcester,
MA 01615 USA. Technical help: 800-551-4413
Saint-Gobain Canada, Inc. Plattsville,
ON N0J 1S0 Canada. 519-684-7441

Farécla Products Ltd, Broadmeads,
Ware, Hertfordshire, SG12 9HS, UK.
enquiries@farecla.com
+44 (0)1920 465 041

www.farecla.com



fareclaproductsltd